

**SYMPTOM CHECK LIST**

Please fill in appropriate boxes.

**S**= Age behavior started**C**= If behavior continues**E**= Age behavior ended**AGES**

| SYMPTOMS AND BEHAVIORS |  | 0-2 | 3-5 | 6-8 | 9-11 | 12-13 | 14-16 | 17-19 |
|------------------------|--|-----|-----|-----|------|-------|-------|-------|
| 1                      | Bedwetting                                       |     |     |     |      |       |       |       |
| 2                      | Night terrors                                    |     |     |     |      |       |       |       |
| 3                      | Temper tantrums                                  |     |     |     |      |       |       |       |
| 4                      | Excessive worry about harm befalling parents     |     |     |     |      |       |       |       |
| 5                      | Excessive distress when separated from family    |     |     |     |      |       |       |       |
| 6                      | Extreme clinging behavior                        |     |     |     |      |       |       |       |
| 7                      | Repeated complaints of physical symptoms         |     |     |     |      |       |       |       |
| 8                      | Has marked changes in appetite                   |     |     |     |      |       |       |       |
| 9                      | Often has cravings for carbohydrates or sweets   |     |     |     |      |       |       |       |
| 10                     | Periods of extreme sadness                       |     |     |     |      |       |       |       |
| 11                     | Elevated or irritable mood greater than 1 hr/day |     |     |     |      |       |       |       |
| 12                     | Elevated or irritable mood greater than 6hrs/day |     |     |     |      |       |       |       |
| 13                     | Elevated or irritable mood greater than 2 days   |     |     |     |      |       |       |       |
| 14                     | Depressed mood greater than 1 hr/day             |     |     |     |      |       |       |       |
| 15                     | Depressed mood greater than 6 hrs./day           |     |     |     |      |       |       |       |
| 16                     | Depressed mood 1-2 days in duration              |     |     |     |      |       |       |       |

|    |   |     |     |     |      |       |       |       |
|----|---|-----|-----|-----|------|-------|-------|-------|
| 17 | Depressed mood greater than 2 days in duration            |     |     |     |      |       |       |       |
|    | SYMPTOMS AND BEHAVIORS                                    | 0-2 | 3-5 | 6-8 | 9-11 | 12-13 | 14-16 | 17-19 |
| 18 | Has suicidal thoughts often                               |     |     |     |      |       |       |       |
| 19 | Has cut self with sharp instrument                        |     |     |     |      |       |       |       |
| 20 | Has made suicide attempt                                  |     |     |     |      |       |       |       |
| 21 | Has difficulty getting to sleep at night                  |     |     |     |      |       |       |       |
| 22 | Often awakens in the middle of the night                  |     |     |     |      |       |       |       |
| 23 | Frequently oversleeps                                     |     |     |     |      |       |       |       |
| 24 | Has decreased need for sleep                              |     |     |     |      |       |       |       |
| 25 | At times has very fast speech                             |     |     |     |      |       |       |       |
| 26 | Thoughts race/has many ideas at once                      |     |     |     |      |       |       |       |
| 27 | Has wide swings in mood                                   |     |     |     |      |       |       |       |
| 28 | Often does not seem to listen when spoken to              |     |     |     |      |       |       |       |
| 29 | Often takes excessive risks                               |     |     |     |      |       |       |       |
| 30 | Is easily distracted by extraneous stimuli                |     |     |     |      |       |       |       |
| 31 | Has periods of inflated self-esteem or grandiosity        |     |     |     |      |       |       |       |
| 32 | Has engaged in unrestrained buying sprees                 |     |     |     |      |       |       |       |
| 33 | Often blurts out answers to questions                     |     |     |     |      |       |       |       |
| 34 | Has difficulty engaging in playful activities             |     |     |     |      |       |       |       |
| 35 | As a newborn, extremely irritable and difficult to settle |     |     |     |      |       |       |       |

|    |   |     |     |     |      |       |       |       |
|----|---|-----|-----|-----|------|-------|-------|-------|
| 36 | Is extremely sensitive to sensory stimuli             |     |     |     |      |       |       |       |
|    | SYMPTOMS AND BEHAVIORS                                | 0-2 | 3-5 | 6-8 | 9-11 | 12-13 | 14-16 | 17-19 |
| 37 | Often has difficulty organizing tasks                 |     |     |     |      |       |       |       |
| 38 | Often loses things necessary for tasks                |     |     |     |      |       |       |       |
| 39 | Often is reluctant to engage in tasks                 |     |     |     |      |       |       |       |
| 40 | Often fidgets with hands or feet                      |     |     |     |      |       |       |       |
| 41 | Often leaves seat in classroom                        |     |     |     |      |       |       |       |
| 42 | Often has difficulty waiting turn                     |     |     |     |      |       |       |       |
| 43 | Often interrupts or intrudes on others                |     |     |     |      |       |       |       |
| 44 | Demonstrates an inability to concentrate at school    |     |     |     |      |       |       |       |
| 45 | Frequently attempts to avoid school                   |     |     |     |      |       |       |       |
| 46 | Illicit drug use                                      |     |     |     |      |       |       |       |
| 47 | Alcohol use   |     |     |     |      |       |       |       |
| 48 | Migraine headaches                                    |     |     |     |      |       |       |       |
| 49 | Speech difficulties (specify)_____                    |     |     |     |      |       |       |       |
| 50 | Panic symptoms-marked anxiety attacks                 |     |     |     |      |       |       |       |
| 51 | Excessive anxiety or worry (apprehensive expectation) |     |     |     |      |       |       |       |
| 52 | Anxiety causes impairment in social functioning       |     |     |     |      |       |       |       |

|    |   |     |     |     |      |       |       |       |
|----|---|-----|-----|-----|------|-------|-------|-------|
| 53 | Marked and specific fear of closed spaces                   |     |     |     |      |       |       |       |
|    | SYMPTOMS AND BEHAVIORS                                      | 0-2 | 3-5 | 6-8 | 9-11 | 12-13 | 14-16 | 17-19 |
| 54 | Marked and persistent fear of animals                       |     |     |     |      |       |       |       |
| 55 | Marked and specific fear of heights                         |     |     |     |      |       |       |       |
| 56 | Marked or specific fear of crowded places                   |     |     |     |      |       |       |       |
| 57 | Hears voices  |     |     |     |      |       |       |       |
| 58 | Paranoid thinking   |     |     |     |      |       |       |       |
| 59 | Bizarre behavior, (specify) _____                           |     |     |     |      |       |       |       |
| 60 | Recurrent anxiety-producing thoughts or impulses            |     |     |     |      |       |       |       |
| 61 | Repetitive mental acts (counting, repeating words silently) |     |     |     |      |       |       |       |
| 62 | Frequent and repetitive checking behavior                   |     |     |     |      |       |       |       |
| 63 | Frequent and repetitive hand-washing                        |     |     |     |      |       |       |       |
| 64 | Tics: recurrent stereotyped movements or vocalizations      |     |     |     |      |       |       |       |
| 65 | Frequently lies   |     |     |     |      |       |       |       |
| 66 | Has deliberately engaged in fire setting                    |     |     |     |      |       |       |       |
| 67 | Is frequently mischievous                                   |     |     |     |      |       |       |       |
| 68 | Often bullies, threatens, or intimidates others             |     |     |     |      |       |       |       |
| 69 | Often initiates physical fights                             |     |     |     |      |       |       |       |

|    |  |     |     |     |      |       |       |       |
|----|--|-----|-----|-----|------|-------|-------|-------|
| 70 | Has deliberately destroyed others' property                    |     |     |     |      |       |       |       |
| 71 | Has broken into someone's house                                |     |     |     |      |       |       |       |
|    | SYMPTOMS AND BEHAVIORS   | 0-2 | 3-5 | 6-8 | 9-11 | 12-13 | 14-16 | 17-19 |
| 72 | Often lies to obtain goods or favors                           |     |     |     |      |       |       |       |
| 73 | Often stays out at night against curfew                        |     |     |     |      |       |       |       |
| 74 | Has run away from home overnight at least twice                |     |     |     |      |       |       |       |
| 75 | Is often truant from school                                    |     |     |     |      |       |       |       |
| 76 | Often loses temper   |     |     |     |      |       |       |       |
| 77 | Often argues with adults                                       |     |     |     |      |       |       |       |
| 78 | Often defies or refuses to comply with rules                   |     |     |     |      |       |       |       |
| 79 | Often blames others for his or her mistakes                    |     |     |     |      |       |       |       |
| 80 | Is often touchy or easily annoyed by others                    |     |     |     |      |       |       |       |
| 81 | Is often angry and resentful                                   |     |     |     |      |       |       |       |
| 82 | Has marked, persistent fear of social or performance situation |     |     |     |      |       |       |       |
| 83 | Increased sexual interest                                      |     |     |     |      |       |       |       |
| 84 | Increased sexual behaviors                                     |     |     |     |      |       |       |       |
| 85 | Other _____  |     |     |     |      |       |       |       |
| 86 | Other _____  |     |     |     |      |       |       |       |
| 87 | Other _____  |     |     |     |      |       |       |       |
| 88 | Other _____  |     |     |     |      |       |       |       |